## **Amendments to the Claims**

## This listing of claims will replace all prior versions, and listings, of the claims:

1. (Currently amended) A storage system comprising:

a movable accessor:

a computer-implemented controller; and

a cartridge transport device configured to move a plurality of cartridges along a path, wherein the path includes a front side and a back side with respect to the movable accessor: wherein:

the controller is configured to:

operate the movable accessor to access a first group of the plurality cartridges from the front side of the path, and

operate the cartridge transport device to move the first group of the plurality of cartridges to the back side of the path to allow the movable accessor to access a second group of the plurality of cartridges and to move the movable accessor closer toward the second group of the plurality of cartridges while the cartridge transport device is operating:

a mounting system installable in an enclosure, wherein the mounting system is capable of supporting at least a portion of the transport device;

a magazine configured to store at least of portion of the plurality of cartridges;
wherein the mounting system includes at least one support member, and a
magazine guide attached to the at least one support member; and

a drive member and wherein the magazine guide includes a roller coupled to the drive member, and the roller includes a flange at one end that is configured to retain a conveyor belt.

(Withdrawn) A storage system according to Claim 1 further comprising:
 a position sensor coupled to detect the position of the transport device; and

a controller coupled to the position sensor, wherein the controller is configured to determine whether to operate the transport device to provide access to a particular one of the plurality of cartridges.

- (Withdrawn) A storage system according to Claim 1 further comprising: inventory control logic operable to maintain identity and location information for each of the plurality of cartridges.
- 4. (Withdrawn) A storage system according to Claim 1 wherein the transport device includes:
  - a conveyor belt;
  - a drive member configured to move the conveyor belt; and
- a drive motor coupled to receive drive command signals from the controller and to actuate the drive member.
- 5. (Withdrawn) A storage system according to Claim 4 wherein each end of the conveyor belt includes a hinge portion that can be fastened to install the conveyor belt in the transport device.
- 6. (Withdrawn) A storage system according to Claim 1 wherein the position sensor is one of the group of an optical, mechanical, magnetic, and electronic sensor.
- 7. (Withdrawn) A storage system according to Claim 4 wherein the conveyor belt includes:
- a plurality of connectors configured to attach the plurality of cartridges to the conveyor belt.
- 8. (Original) A storage system according to Claim 1 further comprising: a mounting system installable in an enclosure, wherein the mounting system is capable of supporting at least a portion of the transport device.

9. (Canceled)

10. (Currently amended) A storage system according to Claim 1-9 wherein the

transport device is further configured to move the plurality of magazines through the

magazine guide.

11. (Previously presented) A storage system according to Claim 10 further comprising

a reference guide and wherein the magazine guide includes a reference edge configured

to engage the reference guide on the magazine.

12. (Canceled)

13. (Currently amended) A storage system according to Claim 1-42 further

comprising a drive member, wherein the roller includes a slotted opening, the drive

member is coupled to a keyed rod, and the keyed rod is inserted through the slotted

opening in the roller.

14. (Currently amended) A storage system according to Claim 1-8 further

comprising an adjustable mount and wherein the mounting system includes a roller

coupled to a the magazine guide on the adjustable mount, and the adjustable mount

facilitates installation of the transport device on the mounting system.

15. (Currently amended) A storage system according to Claim 1-8 wherein the

mounting system is vertically stackable to another mounting system.

16. (Withdrawn) A storage system according to Claim 1, wherein the path is

substantially horizontal.

17. (Withdrawn) A storage system according to Claim 1, wherein the path is

substantially vertical.

4

- 18. (Withdrawn) A method for operating an automated storage system comprising: configuring a first plurality of cartridges along a first side of a path; configuring a second plurality of cartridges along a second side of the path; receiving a request to access a particular cartridge; and moving an accessor toward the particular cartridge; and moving the cartridges along the path to allow the accessor to access the particular cartridge.
- 19. (Withdrawn) A method according to Claim 18 further comprising: maintaining identity and location information for the particular cartridge.
- 20. (Withdrawn) A method according to Claim 19, wherein a plurality of cartridges are storable in a magazine, the method further comprising:

maintaining identity and location information for the plurality of cartridges; and determining which of the plurality of cartridges to access to fulfill the request for the particular item.

21. (Withdrawn) A storage system comprising:

a first set of storage means on a first side of a storage wall;

a second set of storage means on a second side of a storage wall;

transport means connected between the first side and the second side of the storage wall;

logic means for determining when to operate the transport means to move a portion of the first set of storage means to the second side of the storage wall; and a movable accessor operable to move independently of the transport means to access the portion of the first set of storage means from the first side of the storage wall.

22. (Withdrawn) A computer product for managing a storage system comprising: control logic operable to control a transport mechanism to move an assembly of storage components in the storage system from one side of a storage wall that is not

accessible by an access device to another side of the storage wall that is accessible by the access device; and

control logic operable to re-locate a movable access device along the other side of the storage wall to access the storage components.

- 23. (Withdrawn) A computer product according to Claim 22 further comprising: control logic operable to maintain separate logical storage libraries with subgroups of the storage components.
- 24. (Withdrawn) A computer product according to Claim 22 further comprising: control logic operable to maintain inventory records of storage components in the storage system.
- 25. (Withdrawn) A computer product according to Claim 22 further comprising: control logic operable to control physical access to the storage components.